



Garden State Laboratories, Inc.

Report Date: 06/16/2023

Bacteriological and Chemical Testing

Toll Free 800-273-8901
Telephone 908-688-8900
Fax 908-688-8966
Email: info@gsllabs.com
Internet: www.gsllabs.com

Main Lab
410 Hillside Avenue
Hillside, New Jersey 07205
NJDEP Lab Cert. #20044

Jersey Shore Lab
54 Main Street
Waretown, New Jersey 08758
NJDEP Lab Cert. #15037

Mathew Klein, M.S., Founder (1916-1996)
Harvey Klein, M.S., Laboratory Director
Jordan B. Klein, B.A., Exec. Vice President
Sharon Ercoliani, B.A. Laboratory Manager

For: Howley School Pre-School
555 2nd Street

Trenton, NJ 08611

Laboratory Director:

Attention: John Cipriano

Client Number: HOW02

Sample ID: Howley School Building 2,
555 2nd St. Trenton, NJ
08611/ Field Blank-Bldg 2

Lab Sample ID: 230606081-01

Site: Collection Date/Time: 06/04/2023 09:19

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	< 0.0100 mg/l	1.3	0.0100	0.0048	20044	06/13/23 19:31	
Lead, Total Recoverable	EPA 200.9		1	0.00105 mg/l	0.015	0.00100	0.00055	20044	06/13/23 12:25	

Sample ID: Howley School Building 2,
555 2nd St. Trenton, NJ
08611/ B2CR1

Lab Sample ID: 230606081-02

Site: Collection Date/Time: 06/04/2023 09:21

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	0.465 mg/l	1.3	0.0100	0.0048	20044	06/13/23 19:35	
Lead, Total Recoverable	EPA 200.9		1	0.00188 mg/l	0.015	0.00100	0.00055	20044	06/13/23 12:28	

Sample ID: Howley School Building 2,
555 2nd St. Trenton, NJ
08611/ B2CR2

Lab Sample ID: 230606081-03

Site: Collection Date/Time: 06/04/2023 09:22

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	0.491 mg/l	1.3	0.0100	0.0048	20044	06/13/23 19:40	
Lead, Total Recoverable	EPA 200.9		1	0.00161 mg/l	0.015	0.00100	0.00055	20044	06/13/23 12:36	



Sample ID: Howley School Building 2, 555 2nd St. Trenton, NJ 08611/ B2CR3 Lab Sample ID: 230606081-04

Site: Collection Date/Time: 06/04/2023 09:23

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	0.584 mg/l	1.3	0.0100	0.0048	20044	06/13/23 19:44	
Lead, Total Recoverable	EPA 200.9		1	0.00227 mg/l	0.015	0.00100	0.00055	20044	06/13/23 12:39	

Sample ID: Howley School Building 2, 555 2nd St. Trenton, NJ 08611/ B2CR4 Lab Sample ID: 230606081-05

Site: Collection Date/Time: 06/04/2023 09:24

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	0.523 mg/l	1.3	0.0100	0.0048	20044	06/13/23 19:47	
Lead, Total Recoverable	EPA 200.9		1	0.00209 mg/l	0.015	0.00100	0.00055	20044	06/13/23 12:42	

Sample ID: Howley School Building 2, 555 2nd St. Trenton, NJ 08611/ B2BATH Lab Sample ID: 230606081-06

Site: Collection Date/Time: 06/04/2023 09:27

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	0.621 mg/l	1.3	0.0100	0.0048	20044	06/13/23 19:50	
Lead, Total Recoverable	EPA 200.9		1	0.00138 mg/l	0.015	0.00100	0.00055	20044	06/13/23 12:44	

Sample ID: Howley School Building 1, 555 2nd St. Trenton, NJ 08611/ Field Blank-Bldg 1 Lab Sample ID: 230606081-07

Site: Collection Date/Time: 06/04/2023 09:00

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	< 0.0100 mg/l	1.3	0.0100	0.0048	20044	06/13/23 19:53	
Lead, Total Recoverable	EPA 200.9		1	< 0.00100 mg/l	0.015	0.00100	0.00055	20044	06/13/23 12:47	



Sample ID: Howley School Building 1, 555 2nd St. Trenton, NJ 08611/ B1CRA Lab Sample ID: 230606081-08

Site: Collection Date/Time: 06/04/2023 09:01

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	0.292 mg/l	1.3	0.0100	0.0048	20044	06/13/23 20:04	
Lead, Total Recoverable	EPA 200.9		1	0.00106 mg/l	0.015	0.00100	0.00055	20044	06/13/23 12:50	

Sample ID: Howley School Building 1, 555 2nd St. Trenton, NJ 08611/ B1CRB Lab Sample ID: 230606081-09

Site: Collection Date/Time: 06/04/2023 09:02

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	0.167 mg/l	1.3	0.0100	0.0048	20044	06/13/23 20:07	
Lead, Total Recoverable	EPA 200.9		1	0.00659 mg/l	0.015	0.00100	0.00055	20044	06/13/23 12:53	

Sample ID: Howley School Building 1, 555 2nd St. Trenton, NJ 08611/ B1CRC Lab Sample ID: 230606081-10

Site: Collection Date/Time: 06/04/2023 09:07

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	0.215 mg/l	1.3	0.0100	0.0048	20044	06/13/23 20:10	
Lead, Total Recoverable	EPA 200.9		1	0.00151 mg/l	0.015	0.00100	0.00055	20044	06/13/23 12:56	

Sample ID: Howley School Building 1, 555 2nd St. Trenton, NJ 08611/ B1CRD Lab Sample ID: 230606081-11

Site: Collection Date/Time: 06/04/2023 09:08

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	0.379 mg/l	1.3	0.0100	0.0048	20044	06/13/23 20:13	
Lead, Total Recoverable	EPA 200.9		1	0.00203 mg/l	0.015	0.00100	0.00055	20044	06/13/23 12:58	



Sample ID: Howley School Building 1, Lab Sample ID: 230606081-12
 555 2nd St. Trenton, NJ
 08611/ B1KIT

Site: Collection Date/Time: 06/04/2023 09:12

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	0.0760 mg/l	1.3	0.0100	0.0048	20044	06/13/23 20:17	
Lead, Total Recoverable	EPA 200.9		1	0.0115 mg/l	0.015	0.00100	0.00055	20044	06/13/23 13:01	

Sample ID: Howley School Building 1, Lab Sample ID: 230606081-13
 555 2nd St. Trenton, NJ
 08611/ B1BATH

Site: Collection Date/Time: 06/04/2023 09:14

Matrix: Potable water Sample Type: Grab

Analyte	Method	SM YR	DF	Sample Result	MCL	Rep. Limit	MDL	Lab Cert No.	Analysis Date/Time	Qualifiers
Copper, Total Recoverable	EPA 200.7		1	0.127 mg/l	1.3	0.0100	0.0048	20044	06/13/23 20:20	
Lead, Total Recoverable	EPA 200.9		2	0.0454 mg/l	0.015	0.00200	0.0011	20044	06/14/23 12:18	

DF=Dilution factor, <=less than, MCL=Maximum Contaminant Level, Rep. Limit=Reporting Limit, MDL=Method Detection Limit, SM YR=Standard Methods Publication Year, and NC=Not Certified. The liability of Garden State Laboratories, Inc. for services rendered shall in no event exceed the amount of the invoice. Main Lab certified by NJDEP #20044-TNI, NY Dept. of Health #11550 and PADEP #68-03680.



Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037

Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827

West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

6/6/23 15:21 5.7°C

Page 1 of 2

GSL CLIENT # HOW02

MICRO #

CHEM. # 230606081-01-05

SAMPLE REC'D BY:

GSL FIELD SAMPLER/PICK-UP

PICK-UP AT DROP OFF LOCATION

DELIVERED BY CLIENT

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: Howley School Pre- School Contact/Authorized by: John Cipriano

Mailing Address: 555 2nd Street Phone: 609-417-1735

City/State/Zip: Trenton, NJ 08611 Email: howleyday@aol.com

SAMPLE INFORMATION

SAMPLE TYPE: DW

SAMPLE LOCATI Howley School BUILDING 2, 555 2nd St. Trenton, NJ 08611

GrabComp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)	CONTAINER INFORMATION				Lab # Extension
		Date	Time	AM	PM	<input type="checkbox"/> List attached Total Pages _____	No.	Type*	Size	Pres.*	
X	Field Blank - Bldg 2	6-4-23	9:19	✓		Lead & Copper (First Draw)	1	P	250ml	A	81-01
X	B2CR1	6-4-23	9:21	✓		Lead & Copper (First Draw)	1	P	250ml	A	81-02
X	B2CR2	6-4-23	9:22	✓		Lead & Copper (First Draw)	1	P	250ml	A	81-03
X	B2CR3	6-4-23	9:23	✓		Lead & Copper (First Draw)	1	P	250ml	A	81-04
X	B2CR4	6-4-23	9:24	✓		Lead & Copper (First Draw)	1	P	250ml	A	81-05

⇒ Container Type: P=Plastic G=Glass A=Amber Glass T=Sterile Thio V=Vial Other/Specify: _____
 ⇒ Preservation Code: A=Non Preserved B=Sulfuric Acid C=Sodium Hydroxide D=Nitric Acid
 E=Hydrochloric Acid F=Zinc Acetate G=Sodium Ithiosulfate H=Ascorbic Acid I=Cooled Other/Specify: _____

SUBCONTRACTED WORK

TURNAROUND TIME: Standard Rush (if RUSH REQUESTED) Rush Due by:

SEND TO:

REPORT FORM: Standard Report Other/Specify:

DATE/TIME:

Standard Report + E2 PWSID#:

METHOD OF SHIPMENT:

PAYMENT INFORMATION

Sampling/Pick-up Fee: \$ Composite Fee: \$ Rush Fee: \$ Amount Due: \$ 600

Payment Method: Credit Card Type: Check # 6446 Other:

Note: **LEAD & COPPER SAMPLING FOR CHILD CARE FACILITY ON PUBLIC WATER SYSTEM**

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION
PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): <u>John C Cipriano</u>	Signature: <u>[Signature]</u>	
Client/Client's Representative (PRINT): <u>John C Cipriano</u>	Signature: <u>[Signature]</u>	Date/Time: <u>6-6-23 10:55</u>
1. Received/Relinquished by (PRINT): <u>Matt Jackson</u>	Signature: <u>[Signature]</u>	Date/Time: <u>6/6/23 10:55</u>
2. Received/Relinquished by (PRINT): <u>I. Alston</u>	Signature: <u>[Signature]</u>	Date/Time: <u>6/6/23 15:21</u>

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN

IMPORTANT: PRINTED NAMES & SIGNATURES ARE REQUIRED

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037
 Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827
 West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

6/6/23 15:21 5.7°C

Page 2 of 2

GSL CLIENT # HOW02

MICRO #

CHEM. # 230606081-D6

SAMPLE REC'D BY:

GSL FIELD SAMPLER/PICK-UP

PICK-UP AT DROP OFF LOCATION

DELIVERED BY CLIENT

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: Howley School Pre- School Contact/Authorized by: John Cipriano

Mailing Address: 555 2nd Street Phone: 609-417-1735

City/State/Zip: Trenton, NJ 08611 Email: howleyday@aol.com

SAMPLE INFORMATION

SAMPLE TYPE: DW

SAMPLE LOCATI: Howley School BUILDING 2, 555 2nd St. Trenton, NJ 08611

Grab/Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)	CONTAINER INFORMATION				Lab #
		Date	Time	AM	PM		No.	Type*	Size	Pres.*	
X	B2BATH	6-6-2023	9:27	✓		List attached Total Pages	1	P	250ml	A	81-06
						Lead & Copper (First Draw)					

Container Type: P = Plastic G = Glass A = Amber Glass I = Sterile Thio V = Vial Other/Specify: _____
 Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
 E = Hydrochloric Acid F = Zinc Acetate G = Sodium Ithiosulfate H = Ascorbic Acid I = Cooled Other/Specify: _____

TURNAROUND TIME: Standard Rush (if RUSH REQUESTED) Rush Due by: _____

REPORT FORM: Standard Report Other/Specify: _____

Standard Report + E2 PWSID#: _____

PAYMENT INFORMATION

Sampling/Pick-up Fee: \$ Composite Fee: \$ Rush Fee: \$ Amount Due: \$ see p1

Payment Method: Credit Card Type: Check # 6446 Other: _____

SUBCONTRACTED WORK

SEND TO: _____

DATE/TIME: _____

METHOD OF SHIPMENT: _____

Note: **LEAD & COPPER SAMPLING FOR CHILD CARE FACILITY ON PUBLIC WATER SYSTEM**

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION
PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): John C Cipriano	Signature: <i>John C Cipriano</i>	
Client/Client's Representative (PRINT): John C Cipriano	Signature: <i>John C Cipriano</i>	Date/Time: 6-6-2023-10:55
1. Received/Relinquished by (PRINT): Matt Jackson	Signature: <i>Matt Jackson</i>	Date/Time: 6/6/23 10:55
2. Received/Relinquished by (PRINT): T. Alston	Signature: <i>T. Alston</i>	Date/Time: 6/6/23 15:21

The liability of Garden State Laboratories, Inc. for services rendered shall in no event exceed the amount of the invoice.
 Main Lab certified by NJ Dept. of Health, NJDEP-TNI, NY Dept. of Health #12550 and PADEP #68-03680

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN
 IMPORTANT: PRINTED NAMES & SIGNATURES ARE REQUIRED

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037

Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827

West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

6/6/23 15:21 5.7°C

Page 1 of 2

GSL CLIENT # HOW02

MICRO #

CHEM. # 230606081-07-11

SAMPLE REC'D BY:

GSL FIELD SAMPLER/PICK-UP

PICK-UP AT DROP OFF LOCATION

DELIVERED BY CLIENT

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: Howley School Pre- School Contact/Authorized by: John Cipriano

Mailing Address: 555 2nd Street Phone: 609-417-1735

City/State/Zip: Trenton, NJ 08611 Email: howleyday@aol.com

SAMPLE INFORMATION

SAMPLE TYPE: DW

SAMPLE LOCATI Howley School BUILDING 1, 555 2nd St. Trenton, NJ 08611

Grab/Comp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)	CONTAINER INFORMATION				Lab #
		Date	Time	AM	PM	<input type="checkbox"/> List attached Total Pages _____	No.	Type*	Size	Pres.*	
X	Field Blank - Bldg 1	6-4-23	9:00	✓		Lead & Copper (First Draw)	1	P	250ml	A	81-07
X	BICRA	6-4-23	9:01	✓		Lead & Copper (First Draw)	1	P	250ml	A	81-08
X	BICRB	6-4-23	9:02	✓		Lead & Copper (First Draw)	1	P	250ml	A	81-09
X	BICRC	6-4-23	9:07	✓		Lead & Copper (First Draw)	1	P	250ml	A	81-10
X	BICRD	6-4-23	9:08	✓		Lead & Copper (First Draw)	1	P	250ml	A	81-11

⇒ Container Type: P=Plastic G=Glass A=Amber Glass T=Sterile Thio V=Vial Other/Specify: _____
 ⇒ Preservation Code: A=Non Preserved B=Sulfuric Acid C=Sodium Hydroxide D=Nitric Acid
 E=Hydrochloric Acid F=Zinc Acetate G=Sodium Ithiosulfate H=Ascorbic Acid I=Cooled Other/Specify: _____

SUBCONTRACTED WORK

TURNAROUND TIME: Standard Rush (If RUSH REQUESTED) Rush Due by:

SEND TO:

REPORT FORM: Standard Report Other/Specify:

DATE/TIME:

Standard Report + E2 PWSID#:

METHOD OF SHIPMENT:

PAYMENT INFORMATION

Sampling/Pick-up Fee: \$ Composite Fee: \$ Rush Fee: \$ Amount Due: \$ 700

Payment Method: Credit Card Type: Check # 6056 Other:

Note: **LEAD & COPPER SAMPLING FOR CHILD CARE FACILITY ON PUBLIC WATER SYSTEM**

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION
PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): <u>John C. Cipriano</u>	Signature: <u>[Signature]</u>	Date/Time: <u>6/6/23 10:55</u>
Client/Client's Representative (PRINT): <u>John C. Cipriano</u>	Signature: <u>[Signature]</u>	Date/Time: <u>6/6/23 10:55</u>
1. Received/Relinquished by (PRINT): <u>Matt Jackson</u>	Signature: <u>[Signature]</u>	Date/Time: <u>6/6/23 10:55</u>
2. Received/Relinquished by (PRINT): <u>T. Abston</u>	Signature: <u>[Signature]</u>	Date/Time: <u>6/6/23</u>

15.21

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN
 IMPORTANT: PRINTED NAMES & SIGNATURES ARE REQUIRED

Garden State Laboratories, Inc.

Main Lab - 410 Hillside Avenue, Hillside NJ 07205 - NJDEP Lab Cert. #20044
Jersey Shore Lab - 54 Main Street, Waretown NJ 08758 - NJDEP Lab Cert. #15037

Tel. 800-273-8901/908-688-8900 Fax 908-688-8966 www.gslabs.com info@gslabs.com

Office and Drop off Locations

North Jersey Office: 225 Sparta Avenue, Sparta, NJ 07871 Tel. 973-729-1827

West Jersey Office: 2050 Route 31 North, Glen Gardner, NJ 08826 Tel. 908-537-7414

FOR SAMPLE RECEIVING USE ONLY

DATE/TIME/TEMP. REC'D AT LAB:

6/6/23 15:21 5.7°C

Page 2 of 2

GSL CLIENT # HOW02

MICRO #

CHEM. # 230606081-12-13

SAMPLE REC'D BY:

GSL FIELD SAMPLER/PICK-UP

PICK-UP AT DROP OFF LOCATION

DELIVERED BY CLIENT

CLIENT INFORMATION (REPORT TO BE SENT TO)

Name: Howley School Pre- School Contact/Authorized by: John Cipriano

Mailing Address: 555 2nd Street Phone: 609-417-1735

City/State/Zip: Trenton, NJ 08611 Email: howleyday@aol.com

SAMPLE INFORMATION

SAMPLE TYPE: DW

SAMPLE LOCATI: Howley School BUILDING 1, 555 2nd St. Trenton, NJ 08611

GrabComp	SAMPLE ID	SAMPLE COLLECTION				ANALYSIS REQUIRED (Print Legibly)	CONTAINER INFORMATION				Lab #
		Date	Time	AM	PM	<input type="checkbox"/> List attached Total Pages _____	No.	Type*	Size	Pres.*	
X	BIKIT	6-4-23	9:12	✓		Lead & Copper (First Draw)	1	P	250ml	A	81-12
X	BIBATH	6-4-23	9:14	✓		Lead & Copper (First Draw)	1	P	250ml	A	81-13

⇒ Container Type: P = Plastic G = Glass A = Amber Glass T = Sterile Thio V = Vial Other/Specify: _____
 ⇒ Preservation Code: A = Non Preserved B = Sulfuric Acid C = Sodium Hydroxide D = Nitric Acid
 E = Hydrochloric Acid F = Zinc Acetate G = Sodium Iodosulfate H = Ascorbic Acid I = Cooled Other/Specify: _____

SUBCONTRACTED WORK

TURNAROUND TIME: Standard Rush (if RUSH REQUESTED) Rush Due by: _____

SEND TO:

REPORT FORM: Standard Report Other/Specify: _____

DATE/TIME:

Standard Report + E2 PWSID#: _____

METHOD OF SHIPMENT:

PAYMENT INFORMATION

Sampling/Pick-up Fee: \$ Composite Fee: \$ Rush Fee: \$ Amount Due: \$ See p1

Payment Method: Credit Card Type: _____ Check # 6.446 Other: _____

Note: **LEAD & COPPER SAMPLING FOR CHILD CARE FACILITY ON PUBLIC WATER SYSTEM**

SAMPLE CUSTODY EXCHANGES MUST BE DOCUMENTED BELOW EACH TIME SAMPLES CHANGE POSSESSION
PLEASE PRINT YOUR NAME LEGIBLY, USE FULL LEGAL SIGNATURE, DATE AND TIME

Sampled by (PRINT): <u>John C Cipriano</u>	Signature: <u>[Signature]</u>	Date/Time: <u>6/4/23 10:55</u>
Client/Client's Representative (PRINT): <u>John C Cipriano</u>	Signature: <u>[Signature]</u>	Date/Time: <u>6/6/23 10:55</u>
1. Received/Relinquished by (PRINT): <u>NATH JACKSON</u>	Signature: <u>[Signature]</u>	Date/Time: <u>6/6/23 10:55</u>
2. Received/Relinquished by (PRINT): <u>T. ALSTON</u>	Signature: <u>[Signature]</u>	Date/Time: <u>6/6/23 15:21</u>

CHAIN OF CUSTODY RECORD - PRESS HARD AND PRINT CLEARLY - USE BALL POINT PEN
 IMPORTANT: PRINTED NAMES & SIGNATURES ARE REQUIRED